# TAN.HANDY

### HAND HELD SPRAY TAN MACHINE



PRODUCT DATA & USER GUIDE




### TAN. HANDY SPRAY TAN MACHINE

#### COMPONENTS LIST

#### QTY PARTS


- Tan. Handy Spray Tan Machine
- 1 Excess 3 Spray Tan Applicator
- Power Cord



1 x Tan. Handy Spray Tan Mini Turbine



1 x Excess 3 Spray Tan Applicator




1 x Power Cord


### TAN. HANDY SPRAY TAN MACHINE

#### **ASSEMBLY GUIDE**

- Un-screw the external solution cup away from the Handy. Tan and fill desired amount of spray solution. We recommend filling it a minimum of half way for best results. Over filling the solution cup may cause leaks.
- 2. Screw Cup back into the Handy. Tan. Ensure it is fully tightened so no leaks occur



- 3. To begin, attach the Tan. Handy spray tan gun to the Tan. Handy mini turbine by inserting the bottom of the handle of the spray tan gun into the connector of the mini-turbine.
- 4. Attach the Tan.Handy spray tan gun with the 'quick-connect' style fitting. This will lock the spray tan gun firmly into place.



5. Insert the power cord into the device and in the wall plug and turn power on at the wall switch.




6. To remove the Tan.Handy miniturbine for cleaning and refilling solution cup, detach the spray gun with the 'quick-connect' fitting and remove it from the mini-turbine.

- Prior to tanning, make sure you exfoliate your skin in the shower using the Exfoliating Mitt. Exfoliating allows for a smoother application as well as helping the tan to fade evenly.
- 2. Be sure skin is completely clean and dry. Do not apply any moisturisers, oils, deodorants or perfumes prior to use. Waxing or shaving should also be done at least 24 hours prior to tanning.
- Put hair up and cover with plastic cap, remove all jewelery.




Adjusting the spray-pattern nozzle of your Tan. Handy to suit your preferred style of spray tanning.



Set the nozzle fan 'Horizontal'. This spray pattern is perfect for spraying side to side ie. left to right – right to left across the body.





Set the nozzle fan Vertical. This spray pattern setting is perfect for spraying up and down, top to bottom of the body.

### TAN.HANDY SPRAY TAN MACHINE

#### **OPERATION**

#### **POWER ON: AIRFLOW**

1. Turn the device 'on' by pressing the on switch. The Tan. Handy has an intelligent Air-Smart Switch, so with just turning it on, it controls the airflow for the perfect spray. This creates flawless spray tanning results every time.

#### **SPRAY TAN TECHNIQUE**


1. Holding the Tan. Handy approximately 10-15cm (4-6") away, start at the feet and work up, using sweeping, steady motions, keeping the Tan. Handy moving at all times as holding in one spot too long may result in dark spots.

If a dark spot occurs, smooth our immediately with the Application Mitt and continue spraying. Work your way up the entire body, making sure to get complete and even coverage. Avoid spraying directly your heels, knees, and elbows to prevent deeper tanning in these areas.

For best results refer to MineTan's A Picture Perfect Finish, How to Spray Tan

recommended spray tan poses' for the perfect spray tan.

2. Allow tan to dry before wearing clothing. Follow your preferred product instructions for best results when applying the spray tan. Avoid swimming or exercising, for the next 24 hours.



#### **SETTING SOLUTION AIR-FLOW CONTROL**

The solution Flow Control dial on the back of the applicator will determine how much solution will be dispensed from the gun. You can adjust the flow of solution by adjusting the dial on the handle.


The higher number on your dial, the more solution will flow from the Tan. Handy. As you become more comfortable with your spray tan techniques, you can increase the flow of your solution


**MAXIMUM** SOLUTION FLOW

MINIMUM

SOLUTION

**FLOW** 






### TAN.HANDY SPRAY TAN MACHIN


#### **CLEANING & MAINTENANCE**

The Tan. Handy Filter is located at the front of the unit as pictured below.

**IMPORTANT!** Please disconnect from supply circuit before cleaning or removing filters.



- 1. Remove the filter cover from the mini turbine.
- 2. Wash under cold water. Do not use detergents to clean the filter.
- 3. Please leave to dry completely.






#### **EXTERNAL SOLUTION CUP**

Rinse your solution cup with warm water until clean. Wipe all areas dry ready for the next use.

Please note: We recommend washing your cup under water, each time you remove the cup from the handy tan and refill. If you have spilled the contents of the cup and product gets in the screwband (grooved area of the cup being screwed into the HandyTan) simply wipe the grooves with Tan. Easy Cleaning Wipes or a wet cloth/paper towel. This will allow the cup to be easily tightened back onto the Tan. Handy and cause the cup not to leak excess spray solution.

#### **IMPORTANT!** We recommend doing this over a sink or towel.

- 1. Remove the hose from the Excess 3 Tan Applicator.
- 2. Unscrew the cup from the Applicator and empty any un-used solution from the cup.
- 3. Rinse the empty solution cup with warm water until clean and then fill the cup about ¼ full of warm water.
- 4. Insert the cup and screw tightly, back into the Applicator and re-connect the hose.
- 5. Turn on your spray tan machine and adjust your solution Flow Control dial to the highest setting for maximum water spraying.
- 6. Direct the spray applicator into the sink and spray the clean water through until the cup is empty. This will clean through the needle and out to the spray-pattern nozzle.
- 7. Now that the cup is empty, re-set your solution Flow Control dial on the back of the Tan. Handy to your regular settings.
- 8. Disconnect the Applicator from the Air-Hose and unscrew the cup.
- 9. Wipe all areas dry including the cup and Handy. Taready for the next use.



IMPORTANT! You must not submerge the Applicator under water. If there is any excess spray tan solution, wipe down with clean wipes. Alternately you can use a smooth cloth (avoid anything abrasive) with a general glass cleaner to maintain the gloss finish.

### TAN.HANDY SPRAY TAN MACHINE

#### **↑** WARNING & SAFETY

#### IMPORTANT SAFETY PRECAUTIONS

Before using the Tan.Lite, read all instructions and cautionary markings in this manual and on the device. When using an electrical appliance, basic precautions should always be followed, including the following:

#### WARNING

#### TO REDUCE THE RISK OF FIRE, ELECTRIC SHOCK, OR INJURY:

- 1. Do not leave product unattended when plugged in. Unplug from outlet when not in use and before servicing.
- 2. Do not use outdoors or on wet surfaces.
- 3. Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- 3. This product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- 4. Use this device only for its intended function and do not use attachments not recommended by the authorized MineTan manufacturer.
- 5. Do not use the device if the cord is damaged. In the event of damage discontinue use immediately. If the supply cord is damaged, it must be replaced by the authorized MineTan manufacturer.
- 6. If device is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, do not use, contact MineTan Customer Care via the website or regional telephone number.
- 7. Do not pull or carry by cable, use cable as a handle, close a door on cable, or pull cable around sharp edges or corners. Keep cable away from heated surfaces.
- 8. Do not unplug by pulling on cable. To unplug, grasp the plug, not the cable.
- 9. Do not handle plug with wet hands.
- 10. Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow. Switch off and unplug the product before attempting to remove any blockage.
- 11. Turn off all controls before unplugging.
- 12. Do not spray flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- 13. Do not use without the filter in place.
- 14. Never look directly into the airflow when device is in use.
- 15. Do not use an extension cord unless the cord complies with local regional electrical safety standards
- 16. Periodically inspect the power cord for signs of damage

#### SAVE THESE INSTRUCTIONS

This product is intended for professional use only.



Do not pull on cable



Do not submerge in water or get wet



Do not use near open flames



### TAN.HANDY SPRAY TAN MACHINE

#### **WARRANTY & GUARANTEE**

# MINETAN GUARANTEE 1 YEAR TROUBLE FREE WARRANTY

Congratulations on your purchase. We trust you will be happy with your purchase as the products are designed to give you many years of service. To activate your Guarantee, please complete the information within 30 days of purchase. This form has details of our guarantee terms & conditions so please read it carefully, fill it in and return it to the address at the back of this manual. Alternatively you can register online at minetanbodyskin.com. Keep this form, with your original proof of purchase for any claim under guarantee. If you have any queries or require further information on your product please contact your local representative of Minetan Pro Tools Products.

## TO REGISTER YOUR EQUIPMENT OR LODGE A WARRANTY CLAIM PLEASE VISIT MINETANBODYSKIN.COM/WARRANTY/

#### **TERMS & CONDITIONS**

If within one (1) year from the date of purchase, the product fails due to a defect in material or workmanship, we will repair if possible or replace it free of charge with a comparable unit, which may be new or refurbished. This guarantee applies only to the original purchaser and is not transferable. The goods must be returned to the seller with proof of purchase to be assessed at the purchasers cost. Prior to making a claim, please ensure you have read all trouble-shooting questions at minetanbodyskin.com. If there is a defect with the device, it will be replaced free of charge with a comparable unit. Guarantee shall not apply to any defect, failure or damage caused by improper use or improper or inadequate maintenance and care. The manufacturer shall not be obligated under this guarantee:

- 1. To repair damage resulting from attempts by personnel other than authorized representatives to install, repair or service the product.
- 2. To repair damage, malfunction, or degradation of performance resulting from improper use or incompatible solution.
- **3.** To perform maintenance or cleaning or to repair damage, malfunction, or degradation of performance resulting from failure to perform user maintenance and cleaning as prescribed.
- **4.** To repair damage, malfunction, or degradation of performance resulting from use of the product in an environment not meeting the operating specifications.

