

Developer 12%

Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 9

SDS No.: 448596

V001.2 Revision: 14.01.2016

printing date: 29.02.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Developer 12%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Developer

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA Düsseldorf Germany Henkelstr. 67

40191 Düsseldorf Phone: +49 211-797-0

E-mail address of person responsible for Safety Data Sheet:

Henkel Cosmetics, e-mail: Mustafa. Akram@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Serious eye damage Category 1

Causes serious eye damage.

2.2. Label elements (CLP)

Hazard pictogram:



Signal word: Danger

Hazard statement: H318 Causes serious eye damage.

Precautionary statement:

Prevention

P280 Wear eye protection/face protection.

Precautionary statement:

Response

P305+P351+P338+P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical

advice/attention.

MSDS-No.: 448596 Developer 12% Page 2 of 9

V001.2

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Hydrogen peroxide 7722-84-1	231-765-0	01-2119485845-22	>= 10-< 20 %	H412 Chronic hazards to the aquatic environment 3 H271 Oxidizing liquids 1 H302 Acute toxicity 4; Oral H332 Acute toxicity 4; Inhalation H314 Skin corrosion 1A

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Remove casualty immediately from danger zone. Take off immediately all contaminated clothing.

Inhalation:

not relevant.

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

Generation of oxygen carbon oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

MSDS-No.: 448596 Developer 12% Page 3 of 9

V001.2

Additional information:

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations. Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No information.

Wear protective equipment.

6.2. Environmental precautions

Do not allow to enter drainage system, surface or ground water of not diluted product.

Do not dispose of in wastepaper bin or trash-can.

Do not allow to enter drainage system, surface or ground water of not diluted product.

Do not dispose of in wastepaper bin or trash-can.

6.3. Methods and material for containment and cleaning up

Dilute small quantities with large amount of water and rinse.

Remove with liquid-absorbing material (chemical binder)

Dilute small quantities with large amount of water and rinse.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling advice:

Avoid skin and eye contact.

Fire and explosion protection information:

No special measures required if used properly.

Hygiene measures:

Do not eat, drink or smoke while working.

Immediately remove soiled or soaked clothing.

Wash hands before work breaks and after finishing work.

Keep away from food, beverages and animal feed.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture.

Store far from foodstuffs.

7.3. Specific end use(s)

Developer

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Germany

Contains no components with occupational exposure limit values.

Contains no components with occupational exposure limit values.

8.2. Exposure controls

Engineering controls:

Ensure good ventilation/suction at the workplace.

MSDS-No.: 448596 Developer 12% Page 4 of 9

V001.2

Respiratory protection:

Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatril.

Eye protection: Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture:

Appearance emulsion O/W white

Odor slightly

pH (20 °C (68 °F)) 3,40 - 3,90 Initial boiling point Not applicable Not applicable Flash point Decomposition temperature Not applicable Vapour pressure Not applicable 0,980 - 1,020 g/cm3 Density (20 °C (68 °F)) Bulk density Not applicable Viscosity (Haake; Instrument: Haake VT 550; 20 °C (68 °F); 3.000 - 8.000 mPa.s

Rotary measuring system: MV II)

Viscosity (kinematic) Not applicable Explosive properties Not applicable Solubility (qualitative) (20 °C (68 °F); Solvent: Water) Miscible Solidification temperature Not applicable Melting point Not applicable Flammability Not applicable Auto-ignition temperature Not applicable Explosive limits Not applicable Partition coefficient: n-octanol/water Not applicable Not applicable Evaporation rate Not applicable Vapor density Oxidising properties Not applicable Not applicable Container pressure

SECTION 10: Stability and reactivity

10.1. Reactivity

Organic solvents.

Reaction with reducing agents.

Reaction with alkalis: production of heat and oxygen.

Risk of decomposition with impurities of all types, especially with heavy metals.

None if used for intended purpose.

10.2. Chemical stability

None known.

MSDS-No.: 448596 Developer 12% Page 5 of 9

V001.2

10.3. Possibility of hazardous reactions

See section reactivity None known.

10.4. Conditions to avoid

Store in a cool, dry place. Store protected from light.

None known.

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

Acute oral toxicity:

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Hydrogen peroxide	LD50	805 mg/kg	oral		rat	OECD Guideline 401 (Acute
7722-84-1						Oral Toxicity)

Acute dermal toxicity:

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	LD0	6.500 mg/kg	dermal		rabbit	

Acute inhalative toxicity:

No data available.

Skin corrosion/irritation:

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Hydrogen peroxide	corrosive		rabbit	
7722-84-1				

Serious eye damage/irritation:

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	corrosive		rabbit	Draize Test

MSDS-No.: 448596 Developer 12% Page 6 of 9

V001.2

Respiratory or skin sensitization:

Hazardous substances CAS-No.	Result	Test type	Species	Method
Hydrogen peroxide 7722-84-1	not sensitising		guinea pig	

Germ cell mutagenicity:

Hazardous substances	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of administration	activation / Exposure time		
Hydrogen peroxide 7722-84-1	positive	bacterial reverse mutation assay (e.g Ames test)	with and without		Ames Test
Hydrogen peroxide 7722-84-1	negative	intraperitoneal		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

No data available.

Reproductive toxicity:

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

Toxicity (Fish):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity	Exposure time	Species	Method
			Study			
Hydrogen peroxide	LC50	16 mg/l	Fish	96 h	Brachydanio rerio (new name:	ISO 7346-1
7722-84-1					Danio rerio)	(Determination of
						the Acute Lethal
						Toxicity of
						Substances to a
						Freshwater Fish
						[Brachydanio rerio
						Hamilton-
						Buchanan
						(Teleostei,
						Cyprinidae)]

Toxicity (Daphnia):

Hazardous substances	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
Hydrogen peroxide 7722-84-1	EC50	7,7 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

MSDS-No.: 448596 Developer 12% Page 7 of 9

V001.2

Toxicity (Algae):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	NOEC	0,63 mg/l	Algae	72 h	Skeletonema costatum	

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Consider national regulations.

Special waste incineration or special disposal with the approval of the responsible local authority.

MSDS-No.: 448596 Developer 12% Page 8 of 9

V001.2

SECTION 14: Transport information

14.1. UN number

ADR	2984
RID	2984
ADN	2984
IMDG	2984
IATA	2984

14.2. UN proper shipping name

ADR	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
RID	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
ADN	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
IMDG	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
IATA	Hydrogen peroxide, aqueous solution

14.3. Transport hazard class(es)

ADR 5.1 RID 5.1 ADN 5.1 IMDG 5.1 IATA 5.1

14.4. Packing group

ADR III
RID III
ADN III
IMDG III
IATA III

14.5. Environmental hazards

ADR not applicable RID not applicable ADN not applicable IMDG not applicable IATA not applicable

14.6. Special precautions for user

ADR not applicable Tunnelcode: (E)
RID not applicable
ADN not applicable
IMDG not applicable
IATA not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

MSDS-No.: 448596 Developer 12% Page 9 of 9

V001.2

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK: 1, slightly water-endangering product. (German VwVwS of May 17, 1999)

Classification in conformity with the calculation method

Storage class according to TRGS 510: 5.1B

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H271 May cause fire or explosion; strong oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Further information:

This information is not related to the use of the product, it is based on our current level of knowledge.