Imperity Professional Milano Ltd. Adress 1: Viale Monza 347, Milano 20126, Italy Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary Phone: +36 70 420-93-83 E-mail : info@imperity.it Web: www.imperity.it



SECTION 1: Identification of the substance or mixture and company/firm

1.1 Identification of product

Commercial name: Singularity Oxivator Oxi-Cream w.Argan Oil 9% 150ml code: 175134

1.2 Relevant uses identified for the substance or mixture and contraindicated uses

Treatment for coloured and colour-removed hair.Cosmetic product for professional use

1.3 Information on the supplier of the schedule and safetydata

Imperity Professional Milano Kft. Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary Tel.: +36 703114806 E-mail: senior.majerik@imperity.it

1.4 Emergency telephone number

Emergency telephone (07-1520 h): +36 34304414 (CET) on workdays Health Toxicological Information Service (ETTSZ H-1096 Budapest, Nagyvárad tér 2.) Tel.: +36 1 476 6464, or +36 80 201 199

SECTION 2: Identification of hazards

2.1. Classification of substance or mixture 2.1.1 Classification according to Regulation (EC) No. 1272/2008



Serious eye damage, Cat. 1 Skin irritant, Cat. 2 Acute toxicity, Cat. 4 specific target organ toxicity, category 3 **2.2 Labelling elements**



Hazard H318: Causes serious eye damage. Attention H315: Causes skin irritation Attention H302 Harmful if swallowed Attention H305 May cause respiratory irritation;

GHS05	GHS07					
<u>Warning</u> : Hazard	/arning: Hazard					
Hazardindications	:					
H318	Causes serious eye damage.					
H315	Causes skin irritation					
H302	Harmful if swallowed					
H335	May cause respiratory irritation;					
Safety recommen	ety recommendations – Prevention:					
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.					
P264	Wash affected parts/clothing carefully after use					
P270	Do not eat, drink or smoke when using this product.					
P271	Use only outdoors or in a well-ventilated area.					
P280	Wear protective gloves/protective clothing/eye protection/face protection					
Safety recommen	dations – Reaction:					
P302+P352	IF ON SKIN: Wash with plenty of soap and water.					
P304 +P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing					

Imperity Professional Milano Ltd. Adress 1: Viale Monza 347, Milano 20126, Italy Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary Phone: +36 70 420-93-83 E-mail : info@imperity.it Web: www.imperity.it



P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell
P305+P352+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy todo.
	Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321	Specific treatments: in case of contact with the skin see section 4 of this safety schedule
P330	Rinse mouth
P332+P313	If skin irritation occurs: Get medical advice/attention
P362 +P364	Take off contaminated clothing and wash it before reuse.

Adress 1: Viale Monza 347, Milano 20126, Italy Adress 2: 1/F Köztársaság Street, 2800 Tatabánya, Hungary Phone: +36 70 420-93-83 E-mail : info@imperity.it



Web: www.imperity.it

Precautionary Statement – Storage

P403 + P233 Store in a well-ventilated place. Keep container tightlyclosed.

Precautionary Statement – Disposal

P501 Dispose of contents/container in conformity with local regulations

SECTION 3: Composition/information on ingredients

3.1 Substances

Information not relevant

3.2 Mixtures

Type of product and use: Cosmetic mixture for professional use

Hazardous components according to EEC Directive 67/548 and the CLP Regulation and associated classification.

Substance	%	CAS	EINECS	Hazard class
				(according to Reg. 1272/2008)
Hydrogen peroxide INCI: Hydrogen Peroxide	9 %	7722-84-1	231-765-0	Acute Tox. 4 H302, H332 Eye Dam. 1 H318 STOT SE 3 H335 Skin Irrit. 2 H315
Fatty alcohol ethoxylate INCI: Ceteareth-20	0.1 – 1%	68439-49-6	/	Eye Irrit. 2 H319
Quaternary conditioning INCI: Cetrimonium Chloride	0.1-1%	112-02-7	203-928-6	Acute Tox. 4 H302, H312 Eye Dam. 1 H318 Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 1 H410
Fatty alcohol ethoxylate INCI: Laureth-3	0.1 - 1%	3055-94-5	221-280-2	Aquatic Acute 1 H400 Aquatic Chronic 3 H412 Eye Irrit. 2 H319
Mineral Oil INCI: Paraffinum Liquidum	0.1-1%	8042-47-5	232-455-8	Asp. Tox. 1 H304
Tetrasodium EDTA INCI: Tetrasodium EDTA	< 0.1%	64-02-8	200-573-9	Acute Tox. 4 H332 Eye Dam. 1 H318 Skin Irrit. 2 H315 STOT RE 2 H373
Phosphoric acid INCI: Phosphoric Acid	< 0.1%	7664-38-2	231-633-2	Skin Corr 1B H314 Met. Corr 1 H290 Acute Tox. 4 H302
Etidronic Acid INCI: Etidronic Acid	< 0.1%	2809-21-4	220-552-8	Eye Dam. 1 H318 Met. Corr 1 H290
Oxyquinoline Sulphate INCI: Oxyquinoline Sulphate	< 0.1%	134-31-6	205-137-1	Repr. 2 H361 Acute Tox. 3, H301 Eye Dam. 1 H318 Skin Sens. 1 H3187
Fragrance INCI: Parfum	< 0.1%	/	/	Flam. Liq. 3, H226

SECTION 4: First aid measures

4.1 Description of first aid measures

<u>General instructions</u>: If in doubt or when symptoms persist, seek a doctor, keeping the compound's safety schedule available. Do not administer any substance orally to unconscious persons. Remove contaminated clothing immediately.

In case of inhalation: remove the casualty to the open air; if respiration stops or is difficult, perform artificial respiration. Call a doctor immediately

In case of contact with the skin: remove contaminated clothing and take a shower. Call a doctor immediately. Wash the contaminated clothing separately before reusing.

In case of contact with the eyes: wash immediately and thoroughly with water for at least 15 minutes. If used, remove contact lenses. Consult a doctor immediately.



In case of ingestion: rinse the mouth thoroughly without swallowing. Call a doctor immediately.

4.2 Main symptoms and effects, both acute and delayed

For symptoms and effects due to the content substances see chapter 11.

4.3 Indication of need to consult a doctor and special treatments immediately



Follow the doctor's instructions

SECTION 5: Fire prevention measures

5.1 Fire extinguishers

5.1.1 <u>SUITABLE fireextinguishers</u> Product not inflammable. Water mist extinguisher to be used if necessary.

5.1.2 UNSUITABLE fire extinguishers

Do not use chemical powder or foam.

5.2 Special hazards deriving from the substance or mixture

Hazards due to exposure in case of fire

Avoid respirating combustion products.

5.3 Fire extinguishing guidelines for employees

General Information

In case of fire always don complete fire protectionequipment.

Equipment

Protective helmet with visor, fire protective equipment (fire protective jacket and trousers with belts around arms, legs and waist), safety gloves (protective against fire, cutting and dielectric protection), self-protecting respirator.

SECTION 6. Accidental spillage measures

6.1. Personal safety, protection devices and procedures in case of emergency.

Remove all sources of ignition (cigarettes, flames, sparks, etc.) from the area where the leakage occurred. Avoid inhaling the dust. Block the leakage if not dangerous to do so. Do not handle damaged containers or leaking product without having first donned the appropriate protection equipment. Remove all persons who are not equipped. For all information regarding risks to the environment and health, protection of the airways, ventilation and personal protection equipment, refer to the other sections of this schedule.

6.2. Environmental precautions.

Prevent the product from entering sewers, surface waters, ground water and confinedareas.

6.3. Methods and materials for containment and forreinstatement.

Absorb the product with inert material.

6.4. Reference to other sections.

Any information regarding personal protection and disposal is provided in section 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling.

Do not smoke when handling and using. Avoid contact with the skin and eyes, inhalation of vapour and mist.

Neither eat nor drink during work.

7.2. Conditions for safe storage, including any incompatibilities.

Store in a dry, well ventilated place, away from sources of heat, naked flames, sparks and other ignition sources. Store in containers with ventilated closures. Keep away from food, drinks and animal feed. Incompatible materials: None in particular. Requirements for rooms: Suitably ventilated areas. Please see section 10 below

7.3. Final specific uses.

Information not available.

For transport, storage and handling, only use appropriate materials.

SECTION 8: Control of exposure/personal protection

8.1. Control parameters <u>Hydrogen peroxide</u>:

T.L.V.-T.W.A. (ACGIH 2004) 1ppm

irritant/pulmonary oedema/central nervous system

Notes: recognised carcinogenic for animals, with known significance for humans.

8.2. Control of exposure

Appropriate technical measures should always have priority over personal protection equipment, therefore ensure good ventilation in the work place via effective local aspiration or generalised air filtration.

Protection of the hands

Protect the hands with category I work gloves (ref. Directive 89/686/EEC and standard EN 374) such as latex, PVC or equivalent. When deciding on the material for the work gloves, the following should be considered: degradation, breakage and permeation time. The resistance of the gloves should be verified before the use of compound products as it is not predictable. Gloves have a wear time that depends on the duration of exposure.



Protection of the skin

Don work clothes with long sleeves and safety footwear for professional use of category I (ref. Directive 89/686/EEC and standard EN 344). Wash with soap and water after having removed the protective clothing.

Respiratory protection

If the daily exposure threshold in the work environment or level set by the company prevention and protection service of one or more



of the substances in the compound are exceeded, don a mask with type B filter or a universal class 1, 2 or 3 filter must be selected based on the operating limit concentration (ref. Standard EN 141). The use of equipment for protecting the respiratory system, such as paper masks for organic vapours and for dust/mist, is necessary in the absence of technical measures to limit the worker's exposure. The protection offered by masks is however limited. Where the relevant substance is odourless or its olfactory threshold is greater than the exposure limit and in case of emergency, or when the exposure levels are unknown or the concentration of oxygen in work environment is lower than 17% in volume, don an open-circuit compressed air breathing apparatus (ref. Standard EN 137) or external source respirator used with full face mask, half mask or mouthpiece (ref. Standard EN 138).

Protection of the eyes

It is recommended to don hermetic protective eyewear (ref. Standard EN 166)

SECTION 9: Physical and chemical properties

9.1. Information on the essential physical and chemical properties Important data for safety Appearance: Creamy emulsion fluid Colour: Ivory white Odour: Fruit – Banana PH at 20° C: 2.50 – 3.50 Water solubility: soluble Hydrogen peroxide titre: 9.00 –9.30% Viscosity at 20° C: 4.000 - 10.000cPs(S6-RPM10) Decomposition temperature: Information not available Self-igniting: Information not available. Ignition point: Data not available Inflammability (solids, gases): Data not available Lower explosion limit: Data not available Upper explosion limit: Data not available Explosive properties: Data not available Vapour pressure (20° C): Data not available

SECTION 10: Stability and reactivity

10.1. Reactivity.

The product may decay and/or have a violent reaction.

OXYGENATED WATER: decays rapidly with the risk of explosion through the effect of light, heat and contact with alkaline metals.

10.2. Chemical stability.

See the above paragraph. **10.3. Potential for hazardous reactions.**

See section 10.1.

10.4. Conditions to be avoided

As the product also decays at room temperature, it must be stored and used at a controlled temperature.

Also avoid violent impacts.

OXYGENATED WATER: exposure to light, heat and alkaline substances.

10.5. Incompatible materials.

OXYGENATED WATER: inflammable substances, acetone, ethanol, glycerol, organic sulphates, hydrated bases, oxidisable materials, iron, copper, bronze, chromium, zinc, lead, silver, manganese and acetic acid.

10.6. Products with hazardous decay.

Information not available.

SECTION 11: Toxicological information

11.1. Information on the toxicological effects

Toxicological information regarding themixture:

The finished product is a cosmetic and may not be subject to tests on animals. The data indicated refer to the hazardous raw materials contained within the product.

The product contains ingredients that could be harmful to health. These components are irritant to the skin and the mucous membranes of the eyes and the respiratory system. They could stimulate asthma attacks in sensitive individuals, could cause a



sensitivity reaction in the skin and respiratory hypersensitisation.

<u>Effects due to chronic exposure</u>: this mixture has not been tested for the effects of chronic exposure according to the OHSA Hazard Communication Standard.



Target organs: skin, respiratory system.

<u>Routes of ingress</u>: inhalation, ingestion and the skin.

The general medical conditions, aggravated by exposure, will be related to the primary toxic (pharmacological) effect of the substance; any pre-existent dermatitis could deteriorate through the present of a skin irritant, as also bronchitis could be aggravated by the dust in the air.

Harmful for ingestion. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Further information: the damage to health under normal use is unknown and unpredictable.

LD50

11.2 Toxicological information regarding the raw material content

Hydrogen peroxide:

rat, oral 1193 mg/kg rat, inhalation >0.17 mg/l/4h rabbit, skin >6500mg/kg

SECTION 12: Ecological information

Use according to good working practices, avoiding discarding the product in the environment. Inform the competent authorities if the product reaches watercourses or sewers or if it has contaminated the soil or vegetation. **12.1. Toxicity**

N.A.
12.2. Persistance and degradability
N.A. The substance is biodegradable. Notpersistent
12.3. Bioaccumulation potential
N.A. Does not bioaccumulate.
12.4. Soil mobility
N.A. No specific information is available on thisproduct
12.5. Results of PBT and vPvB evaluation
vPvB substances: Nil – PBT substances: None
12.6. Other adverse effects
None. No specific information is available on thisproduct.

SECTION 13: Considerations on disposal

13.1. Methods of waste treatment

Do not dispose the product together with domestic waste. Do not dispose in the sewers. Send to authorised disposal plants, refer to Legislative decree 22/97 as amended.

Packaging contaminants

Packaging contaminants must be sent for recycling or disposal according to the national waste management regulations.

SECTION 14. Information ontransport

14.1 UN number
Product not classified as hazardous for transport
14.2 UN number shipment name
N.A.
14.3 Classes of hazard associated with transport
Road/rail transport (ADR/RID-GGVS/E)

Product not classified as hazardous for transport

Maritime transport (IMO/IMDG)

Product not classified as hazardous for transport Air transport (ICAO-TI/IATA-DGR)

Product not classified as hazardous for transport

Imperity Professional Milano Ltd.

Adress 1: Viale Monza 347, Milano 20126, Italy Adress 2: 1/F Köztársaság Street, 2800 Tatabánya, Hungary



Phone: +36 70 420-93-83

E-mail : info@imperity.it

Web: www.imperity.it

SECTION 15. Information on regulation

15.1 Standards and legislation on health, safety and environment specific to the substance or mixture National provisions Italy: Legislative decree 81/2008 (Consolidating text on health and safety in work places) as amended, and Directive 2009/161/EU – chemical risk assessment pursuant to heading IX Hazard classes for water Class: 1 Classification in accordance with VwVwS Legislative decree no. 52 of 3/2/1997 (Classification, packaging and labelling of hazardous substances) Legislative decree no. 65 of 14/3/2003 (Classification, packaging and labelling of hazardous compounds) Legislative decree no. 81 of 9/4/2008 Decree of the Ministry of Labour of 26/02/2004 (Limits of workingexposure) Ministry Decree of 03/04/2007 (Enactment of directive no. 2006/8/EC) International regulations Directive 67/548/EEC (Classification, packaging and labelling of hazardous substances) as amended. Directive 1999/45/EC (Classification, packaging and labelling of hazardous substances) as amended. Regulation no. 1907/2006/EC (REACh). Regulation no. 1272/2008/EC (CLP). Regulation no. 790/2009/EC (ATP 1 CLP amending, for adapting to technical and scientific progress, the ATP of Regulation no. 1272/2008/EC). Regulation (EU) no. 830/2015 Restrictions regarding the product or its content substances based on Annex XVII of Regulation (EC) 1907/2006 (REACH) as amended Where applicable, reference is made to the following regulations: Ministerial circulars 46 and 61 (Aromatic amines). Legislative decree no. 238 of 21 September 2005 (Seveso III Directive) EC Regulation no. 648/2004 (Detergents). Decree law no. 152 of 3/4/2006 Environmental regulations

SECTION 16. Other information

Additional indications

Text of the Hazard recommendations (H) referred to in sections 2-3 of theschedule: Flam. Liq. 3 flammable liquids, category 3 Met. Corr. 1 corrosive to metals, category 1 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 Asp. Tox. 1 Aspiration toxicity, category 1 Eye Irrit. 2 eye irritation, category 2 Eye Dam. 1 Damaging to the eyes, category 1 Skin Corr. 1B Skin corrosion, category 1B Skin Irrit. 2 Skin irritation, category 2 Repr. 2, Reproductive toxicity, category 2 Skin Sens. 1 Skin sensitisation, category 1 STOT SE 3 Specific toxicity by target organ – single exposure, category 3 STOT RE 2 specific target organ toxicity after repeated exposure, category 2 Aquatic Acute 1 Hazardous for aquatic environment, category 1 Aquatic Chronic 1 Long-Term Aquatic Hazard, category 1 Aquatic Chronic 2 Long-Term Aquatic Hazard, category 2 Aquatic Chronic 3 Long-Term Aquatic Hazard, category 3 H226 Flammable liquid and vapour H290 May be corrosive to metals H301 Toxic ifswallowed H302 Harmful if ingested. H304 May be fatal if swallowed and enters airways H312 Harmful in contact with skin



H314 Causes serious skin burns and serious eye damage. H315 Causes skin irritation.

H317 May cause an allergic skin reaction



Web: www.imperity.it

H318 Causes severe eye lesions.

H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 Can irritate the airways.

H361 Suspected of damaging fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

H400 Highly toxic for aquatic organisms.

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

GENERAL BIBLIOGRAPHY:

1. Directive 1999/45/EC as amended

2. Directive 67/548/EEC as amended

3. Regulation (EC) 1907/2006 of the European Parliament (REACH)

4. Regulation (EC) 1272/2008 of the European Parliament (CLP)

5. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)

6. Regulation (EC) 453/2010 of the European Parliament

7. The Merck Index. Ed. 10

8. Handling Chemical Safety

9. Niosh - Registry of Toxic Effects of Chemical Substances

10. INRS - Fiche Toxicologique

11. Patty - Industrial Hygiene and Toxicology

12. N.I. Sax - Dangerous properties of Industrial Materials-7 Ed., 1989

This document has been drafted by a technician with competence on SDS, who has been given adequate training. The user's working conditions are unknown and not under our control. The user is responsible for observing all the necessary legal provisions. Primary bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition – Van Nostrand Reinold

CCNL - Annex 1

Upper Health Institute – National Inventory of Chemical Substances

The information contained herein is based on our knowledge as at the above reported date. The information relates to the indicated product and does not form a guarantee of particular qualities. The user is required to verify the suitability and completeness of the information in relation to the specific use.

This schedule cancels and replaces any previous edition.

KEY:

ADR: Accord européen relative au transport international des marchandises dangereuses par route (European accord on international transport of hazardous goods by road) ASTM: ASTM International, originally known as the American Society for Testing and Materials (ASTM) EINECS: European Inventory of Existing Commercial Chemical Substances EC(0/50/100): Effective Concentration 0/50/100 (Effective maximum concentration per 0/50/100% of individuals) LC(0/50/100): Lethal Concentration 0/50/100 IC50: Inhibitor Concentration 50 NOEL: No Observed Effect Level NOEC: No Observed Effect Concentration LOEC: Lowest Observed Effect Concentration (Maximum concentration at which it is possible to observe an effect) DNFL: Derived No Effect Level DMEL: Derived Minimum Effect Level CLP: Classification, Labelling and Packaging CSR: Chemical Safety Report LD(0/50/100): Lethal Dose 0/50/100 (Lethal dose per 0/50/100% of individuals) IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG code: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic

RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regulation on international transport



of dangerous goods by rail) STEL: Short term exposurelimit TLV: Threshold limit value TWA: Time Weighted Average UE: European Union



vPvB: Very persistent verybioaccumulative N.A. Not available N.A. Not applicable VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS) PNEC: Predicted No Effect Concentration PNOS: Particulates not Otherwise Specified BOD: Biochemical Oxygen Demand COD: Chemical Oxygen Demand BCF: BioConcentration Factor TRGS : Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal Institute for Occupational Safety and Health, Germany LCLo: Lethal Concentration Low (minimum lethal concentration)

ThOD: Theoretical Oxygen Demand

The data are provided based on our current knowledge, they do not however represent any guarantee of the product's specifications and do not form any legal contractual relationship:

Note for the user:

The information contained in this schedule is based on the knowledge available to us as at the date of the latest version. The user must verify the suitability and completeness of the information in relation to the specific use of the product.

This document must not be interpreted as a guarantee of any specific productproperty.

As the product is not used under our direct control, the user is obliged to observe, under his/her own responsibility, the laws and provisions on health and safety in force. We will not accept any liability for improper use.