Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



SECTION 1: Identification of the substance or mixture and company/firm

1.1 Identification of product

Commercial name: Blonderator Ultra Premium Bleaching Powder PLEX & Keratin 500g IP (10)

code: 181015

Colour removing treatment for hair. Cosmetic product for professional use

1.2 Relevant uses identified for the substance or mixture and contraindicated uses

Treatment for coloured and colour-removed hair.

Cosmetic product for professional use

1.3 Information on the supplier of the schedule and safety data

Supplier identification:

Imperity Professional Milano Kft.

Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Tel./fax: +36-70-311-4806

Responsible for SDS:

Imperity Professional Milano Kft.

Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Tel./fax: +36-70-311-4806

E-mail: senior.majerik@imperity.it
1.4 Emergency telephone number

Emergency telephone (07-1520 h): +36 34304414 (CET) on workdays

Health Toxicological Information Service (ETTSZ H-1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

SECTION 2: Identification of hazards

2.1. Classification of substance or mixture

 $\underline{2.1.1}$ Classification according to Regulation (EC) #1272/2008









Solid oxidiser Cat. 3 Irritant to the airways, Cat.1 Acute toxicity, Cat. 4 Attention H272: May intensify fire; oxidiser.

Hazard H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

AttentionH302: Harmful if swallowed.

Skin irritant, Cat. 1 Attention H317: May cause an allergic skin reaction.

Eye dam, Cat. 1 Hazard H318: Causes serious eye damage Skin irritant, Cat. 2 Attention H315: Causes skin irritation.

2.2 Labelling elements









GHS03

GHS08

GHS07 GHS05

Warning: Hazard Hazard indications:

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it

P261



H272	Can aggravate a fire: oxidiser			
H302	Harmful if ingested			
H317	Can cause an allergic skin reaction			
H334	Can cause allergic or asthma symptoms or difficulty breathing if inhaled.			
H318	Causes serious eye damage			
H315	Causes skin irritation			
<u>Safety recommendations – Prevention</u> :				
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.			
P220	Keep/store away from clothing/combustible materials.			
P221	Take any precaution to avoid mixing withcombustibles			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			

Avoid breathing dust/fume/gas/mist/vapours/spray.

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



P264 Wash affected parts/clothing thoroughly after handling.
P270 Do no eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.

<u>Safety recommendations – Reaction:</u>

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a positioncomfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rising.

P310 Immediately call a POISON CENTER/doctor

P321 Specific treatments: see section 4 clause 4.1 of this safety schedule

P330 Rinse mouth.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTERor doctor/physician.

P370+P378 In case of fire, extinguish with suitable agents

P362 + p364 Take off contaminated clothing and wash it before reuse

<u>Safety recommendations – Disposal:</u>

P501 Dispose of the product/vessel in accordance with local regulations.

SECTION 3: Composition/information on ingredients

3.1 Substances

Information not relevant

3.2 Mixtures

Type of product and use: Cosmetic mixture for professional use

Hazardous components according to EEC Directive 67/548 and the CLP Regulation and associated classification.

<u>Substance</u>	<u>%</u>	<u>CAS</u>	<u>EINECS</u>	Hazard class (according to Reg. 1272/2008)
Sodium Silicate	25 – 50%	1344-09-8	215-687-4	Eye Dam. 1 H318 STOT SE 3 H335 Skin Irrit. 2 H315 Eye Irrit. 2 H319
Potassium persulphate	25 – 50%	7727-21-1	231-781-8	Sol. Ox. 3 H272 Acute Tox. 4 H302 Eye Irrit. 2 H319 STOT SE 3 H335 Skin Irrit. 2 H315 Resp. Sens. 1 H334 Skin Sens. 1 H317
Ammonium Persulphate	5 – 10%	7727-54-0	231-786-5	Sol. Ox. 3 H272 Acute Tox. 4 H302 Eye Irrit. 2 H319 STOT SE 3 H335 Skin Irrit. 2 H315 Resp. Sens. 1 H334 Skin Sens. 1 H317

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



Mineral Oil	1-5%	8042-47-5	232-455-8	Asp. Tox. 1 H304
Sodium persulfate	1-5%	7775-27-1	231-892-1	Ox. Liq. 2 H272 Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Resp. Sens. 1 H334 STOT SE 3 H335
Trisodium orthophosphate	1-5%	7601-54-9	231-509-8	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335
Sodium lauryl sulphate	1-5%	85586-07-8	287-809-4	Oral, Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Chronic 3 H412
Disodium EDTA	0.1 - 1%	139-33-3	205-358-3	Acute Tox. 4; H332
Parfum	0.1 - 1%	/	/	Skin Sens. 1B, H317 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Oral, Acute Tox. 4 H302 STOT SE 3 H335 Aquatic Chronic 2 H411 Flam. Lig. 3 H226

SECTION 4: First aid measures

4.1 Description of first aid measures

<u>General instructions</u>: If in doubt or when symptoms persist, seek a doctor, keeping the compound's safety schedule available. Do not administer any substance orally to unconscious persons. Remove contaminated clothing immediately.

<u>In case of inhalation</u>: remove the casualty to the open air; if respiration stops or is difficult, perform artificial respiration. Call a doctor immediately.

<u>In case of contact with the skin</u>: remove contaminated clothing and take a shower. Call a doctor immediately. Wash the contaminated clothing separately before reusing.

In case of contact with the eyes: wash immediately and thoroughly with water for at least 15 minutes. If used, remove contact lenses. Consult a doctor immediately.

In case of ingestion: rinse the mouth thoroughly without swallowing. Call a doctor immediately.

4.2 Main symptoms and effects, both acute and delayed

For symptoms and effects due to the content substances see chapter 11.

4.3 Indication of need to consult a doctor immediately and special treatments

Follow the doctor's instructions

SECTION 5: Fire prevention measures

5.1 Fire extinguishers

5.1.1 SUITABLE fireextinguishers

Suitable fire extinguishers are water, nebulised water, foam. Excess water or nebulised water must be used until completely extinguished.

5.1.2 UNSUITABLE fireextinguishers

none in particular, even if some extinguishers (CO2-based powders, fluoride derivatives, sand, earth, etc) can be less active as the product contains oxidisers which feed combustion.

5.2 Special hazards deriving from the substance or mixture

Hazards due to exposure in case of fire

Avoid respirating combustion products. If involved in a fire the product can produce toxic ammonia gases, sulphur dioxide SO2 and (sulphurous anhydride) sulphur trioxide SO3 (sulphuric anhydride).

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



5.3 Fire extinguishing guidelines for employees

General Information

In case of fire always don complete fire protection equipment.

Equipment

Protective helmet with visor, non-flammable clothing (non-flammable jacket and with bands around the arms, legs and waist), protective gloves (protective against fire, cuts and dielectric discharge), respirator (automatic breathing protection).

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



SECTION 6. Accidental spillage measures

6.1. Personal safety, protection devices and procedures in case ofemergency.

Remove all sources of ignition (cigarettes, flames, sparks, etc.) from the area where the leakage occurred. Avoid inhaling the dust. Block the leakage if not dangerous to do so. Do not handle damaged containers or leaking product without having first donned the appropriate protection equipment. Remove all persons who are not equipped. For all information regarding risks to the environment and health, protection of the airways, ventilation and personal protection equipment, refer to the other sections of this schedule.

6.2. Environmental precautions.

Prevent the product from entering sewers, surface waters, ground water and confined areas.

6.3. Methods and materials for containment and forreinstatement.

Absorb the product with non-combustible material (sand, fabric, powder, aggregate, vermiculite) and place it in a container for removal according to local and national regulations.

6.4. Reference to other sections.

Any information regarding personal protection and disposal is provided in section 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling.

Do not smoke when handling and using. Avoid contact with the skin and eyes, inhalation of vapour and mist.

Neither eat nor drink during work.

Do not create dust while working with the product. Thorough operational removal of dust and ventilation/aspiration in work places. Adopt measures against electrostatic discharge.

7.2. Conditions for safe storage, including any incompatibilities.

Locate in dry and aerated places. Avoid excessively high temperatures (over 30°C) Avoid contamination with reducing agents such as lotions, permanent or straightening. Do not store after having added other substances such as developers and lightening lotions (the containers could break). Avoid contact with moist organic materials, such as paper towels, wood, clothing, etc, avoid discarding product residues in the waste, spontaneous combustion could occur. **Protect from heat and the sun's rays; store away from rain and moisture and never outside.**

7.3. Final specific uses.

Information not available.

For transport, storage and handling, only use appropriate materials.

SECTION 8: Control of exposure/personal protection

8.1. Control parameters

Potassium Persulfate: T.L.V.-T.W.A.(ACGIH 2003) 0.1mg/m³

<u>Ammonium Persulfate</u>: T.L.V.-T.W.A. 0.1mg/m³

Sodium Persulfate:T.L.V.-T.W.A. (ACGIH 2003) 0.1mg/m³Sodium silicate:T.L.V.-T.W.A.(supplier) 2mg/m³Mineral Oil:T.L.V.-T.W.A. (supplier) 5mg/m³

8.2. Control of exposure

Considering that using the appropriate technical measures should always have priority over personal Protection equipment, ensure good ventilation in the work place via effective local aspiration or exhaust Air discharge.

Protection of the hands

Protect the hands with category I work gloves (ref. Directive 89/686/EEC and standard EN 374) such as latex, PVC or equivalent. When deciding on the material for the work gloves, the following should be considered: degradation, breakage and permeation time. The resistance of the gloves should be verified before the use of compound products as it is not predictable. Gloves have a wear time that depends on the duration of exposure.

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



Protection of the skin

Don work clothes with long sleeves and safety footwear for professional use of category I (ref. Directive 89/686/EEC and standard EN 344). Wash with soap and water after having removed the protective clothing.

Respiratory protection

If exceeding the threshold value of one or more substances in the compound, refer to the daily exposure in the work environment or to a value set out by the company prevention and protection service, don a mask with type B or universal type filter of a class (1, 2 or 3) selected in relation to the usage concentration limit (ref. Standard EN 141). The use of equipment for protecting the respiratory system, such as paper masks for organic vapours and for dust/mist, is necessary in the absence of technical measures to limit the worker's exposure. The protection offered by masks is however limited. If the substance considered is odourless or its olfactory threshold exceeds the associated exposure limit and in the case of emergency, or when the exposure levels are unknown or the concentration of oxygen in the work environment is less than 17% in volume, don an open circuit compressed air respirator (ref. Standard EN 137) or external air respirator with complete mask, half mask or mouthpiece (ref. Standard EN 138).

Protection of the eyes

It is recommended to don hermetic protective eyewear (ref. Standard EN 166)

SECTION 9: Physical and chemical properties

9.1. Information on the essential physical and chemical properties

Important data for safety Aspect: Homogenous powder

Colour: Violet
Odour: Characteristic

PH (water solution): 10.50-11.50

Persulfate iones content (% expressed %S₂O₈²⁻): 25,5-31,5

Water solubility: partially soluble

Vapour density: Information not available Decomposition

temperature: data not available Auto-inflammability: data not available Ignition point: data not available

Inflammability (solids, gases): data notavailable Lower explosion limit: data not available Upper explosion limit: data not available Explosive properties: data not available Vapour pressure (20° C): data not available Odour threshold: data not available Evaporation rate: data not available Oxidative properties: data not available

SECTION 10: Stability and reactivity

10.1. Reactivity.

The product does not decompose if used according to standards. The product is stable in safety conditions up to around 65° C; above this temperature it gradually begins to decay, releasing small quantities of oxygen and ammonia. Above 150° C the rate of decay becomes rapid and self-accelerating with the release of oxygen, which can lead to fire.

Humidity is an extremely important factor as uncontrolled and unstable humidity can lower the decay temperature considerably.

10.2. Chemical stability.

See the above paragraph.

10.3. Potential for hazardous reactions.

See section 10.1.

10.4. Conditions to be avoided.

High temperatures, high humidity, electrostatic charges. Do not subject the product to friction and impacts.

10.5. Incompatible materials.

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



Reducing agents (permanent lotions), acids, bases, metals, oxidisers and combustible materials **10.6.** Products with hazardous decay.

Corrosive gases/vapours and toxic gases/vapours such as sulphur oxides (SOx), ammonia, nitrogen oxides (NOx) and ozone.

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



SECTION 11: Toxicological information

11.1. Information on the toxicological effects

Toxicological information regarding the mixture:

the data indicated refer to the hazardous raw materials contained within the product.

The product contains ingredients that could be harmful to health. These components are irritant to the skin and the mucous membranes of the eyes and the respiratory system. They could stimulate asthma attacks in sensitive individuals, could cause a sensitivity reaction in the skin and respiratory hypersensitisation.

Effects due to chronic exposure: this mixture has not been tested for the effects of chronic exposure according to the OHSA Hazard Communication Standard.

<u>Target organs</u>: skin, respiratory system.

Routes of ingress: inhalation, ingestion and the skin.

The general medical conditions, aggravated by exposure, will be related to the primary toxic (pharmacological) effect of the substance; any pre-existent dermatitis could deteriorate through the present of a skin irritant, as also bronchitis could be aggravated by the dust in the air.

Harmful for ingestion. Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

<u>Further information:</u> the damage to health under normal use is unknown and unpredictable.

11.2 Toxicological information regarding the raw material content

Potassium Persulfate: LD50 rat, oral 700 mg/kg

rat, inhalation >2.95mg/l/4h

rat, cutaneous >2000mg/Kg

<u>Ammonium Persulfate</u>: LD50 rat, oral 700 mg/kg

rat, inhalation >2.95mg/l/4h rat, cutaneous >2000mg/Kg

Sodium Persulfate LD50 rat, oral 700 mg/kg

rat, inhalation >2.95mg/l/4h rat, cutaneous >2000mg/Kg

<u>Disodium EDTA</u>: LD50 rat, oral 1780 – 2000mg/Kg

Rat, inhalation 1-5 mg/l/6h

Sodium Lauryl Sulfate: LD50 rat, oral 300 – 2000mg/Kg

Mineral OilLD50rat, oral >5000 mg/KgSodium Silicate:LD50rat, oral 300-2,000 mg/Kg

SECTION 12: Ecological information

Use according to good working practices, avoiding discarding the product in the environment. Notify the competent authorities if the product has entered water courses or sewers or has contaminated the soil or vegetation.

12.1. Toxicity

N.A.

12.2. Persistance and degradability

N.A. The substance is biodegradable. Not persistent

12.3. Bioaccumulation potential

N.A. Does not bioaccumulate.

12.4. Soil mobility

N.A. No specific information is available on this product

12.5. Results of PBT and vPvB evaluation

vPvB substances: Nil – PBT substances: None

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



12.6. Other adverse effects

None. No specific information is available on this product.

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



SECTION 13: Considerations on disposal

13.1. Methods of waste treatment

Do not dispose the product together with domestic waste. Do not dispose in the sewers. Send to authorised disposal plants, refer to Legislative decree 22/97 as amended.

Packaging contaminants

Packaging contaminants must be sent for recycling or disposal according to the national waste management regulations.

SECTION 14. Information on transport

14.1 UN number

UN 3215

14.2 UN number shipment name

PERSULPHATES, INORGANIC NOS

14.3 Classes of hazard associated with transport

Road/rail transport (ADR/RID-GGVS/E)



- Class 5.1 substances with an inflammable effect

- Packaging group III

- Correct technical name: PERSULPHATES, INORGANIC, N.O.S. (Potassium persulfate and Ammonium persulfate) Exemptions from transport under ADR: for limited quantities. Exemption from transport under ADR for the product packaged in a container less than 5 kg and secondary container less than 30 kg, up to 1 ton.

Maritime transport (IMO/IMDG)



IMDG Class
 Packaging group
 EmS number
 F-A, S-Q

- Correct technical name: PERSULPHATES, INORGANIC, N.O.S. (Potassium persulfate and Ammonium

persulfate)

Not marine polluting

Air transport (ICAO-TI/IATA-DGR)



- ICAO/IATA Class 5.1 - Packaging group III

- Correct technical name PERSULPHATES, INORGANIC, N.O.S. (Potassium persulfate and

Ammonium persulfate)

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



SECTION 15. Information on regulation

15.1 Standards and legislation on health, safety and environment specific to the substance or mixture

National provisions

Italy: Legislative decree 81/2008 (Consolidating text on health and safety in work places) as amended, and

Directive

2009/161/EU - chemical risk assessment pursuant to heading IX

Hazard classes for water

Class: 1 Classification in accordance with VwVwS

Legislative decree no. 52 of 3/2/1997 (Classification, packaging and labelling of hazardous substances) Legislative decree no. 65 of 14/3/2003 (Classification, packaging and labelling of hazardous compounds) Legislative decree no. 81 of 9/4/2008

Decree of the Ministry of Labour of 26/02/2004 (Limits of working

exposure) Ministry Decree of 03/04/2007 (Enactment of directive no. 2006/8/EC)

International regulations

Directive 65/548/EEC (Classification, packaging and labelling of hazardous substances) as amended. Directive 1999/45/EC (Classification, packaging and labelling of hazardous substances) as amended. Regulation no. 1907/2006/EC (REACh).

Regulation no. 1272/2008/EC (CLP).

Regulation no. 790/2009/EC (ATP 1 CLP amending, for adapting to technical and scientific progress, the ATP of

Regulation no. 1272/2008/EC). Regulation (EU) no. 830/2015

Restrictions regarding the product or its content substances based on Annex XII of Regulation

(EC) 1907/2006 (REACH) as amended

Where applicable, reference is made to the following regulations:

Ministerial circulars 46 and 61 (Aromatic amines).

Legislative decree no. 238 of 21 September 2005 (Seveso III Directive)

EC Regulation no. 648/2004 (Detergents).

Decree law no. 152 of 3/4/2006 Environmental regulations

SECTION 16. Other information

Additional indications

Text of the Hazard recommendations (H) referred to in sections 2-3 of the schedule:

Flam. Lig. 3 flammable liquids, category 3

Sol. Ox. 3 Solid oxidiser, category 3

Acute Tox. 2, Acute toxicity, category 2

Acute Tox. 4 Acute toxicity, category 4

Eye Irrit. 2 Eye irritation, category 2

Eye Dam. 1 Eye damage, category 1

Skin Irrit. 2 Skin irritation, category 2

Skin Sens. 1 Skin sensitisation, category 1

Resp. Sens. 1 Respiratory sensitisation, category 1

STOT SE 3 Specific toxicity by target organ – single exposure, category 3

Aquatic Chronic 2 Long-Term Aquatic Hazard, Chronic 2

H226 Flammable liquid and vapour

H272 Can aggravate a fire; oxidiser.

H302 Harmful if ingested.

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H318 Causes serious eye damage

H317 Can cause an allergic skin reaction.

H319 Causes severe eye irritation.

H332 Harmful if inhaled

H334 Can cause allergic or asthma symptoms or difficulty breathing if inhaled.

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



H335 Can irritate the airways. **H411** Toxic to aquatic life with long lasting effects

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



GENERAL BIBLIOGRAPHY:

- 1. Directive 1999/45/EC as amended
- 2. Directive 67/548/EEC as amended
- 3. Regulation (EC) 1907/2006 of the European Parliament (REACH)
- 4. Regulation (EC) 1272/2008 of the European Parliament (CLP)
- 5. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)
- 6. Regulation (EC) 830/2015
- 7. The Merck Index.Ed. 10
- 8. Handling Chemical Safety
- 9. Niosh Registry of Toxic Effects of Chemical Substances
- 10. INRS Fiche Toxicologique
- 11. Patty Industrial Hygieneand Toxicology
- 12. N.I. Sax Dangerous properties of Industrial Materials-7 Ed., 1989

This document has been drafted by a technician with competence on SDS, who has been given adequate training. The user's working conditions are unknown and not under our control. The user is responsible for observing all the necessary legal provisions.

Primary bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Annex 1

Upper Health Institute - National Inventory of Chemical Substances

The information contained herein is based on our knowledge as at the above reported date. We refer solely to the products indicated and they do not form a guarantee of specific quality. The user is required to verify the suitability and completeness of the information in relation to the specific use.

This schedule cancels and replaces any previous edition.

KEY:

ADR: Accord européen relative au transport international des marchandises dangereuses par route (European accord on international transport of hazardous goods by road)

ASTM: ASTM International, originally known as the American Society for Testing and Materials (ASTM)

EINECS: European Inventory of Existing Commercial Chemical Substances

EC(0/50/100): Effective Concentration 0/50/100 (Effective maximum concentration per 0/50/100% of individuals)

LC(0/50/100): Lethal Concentration 0/50/100 (Lethal concentration per 0/50/100% of individuals)

IC50: Inhibitor Concentration 50 (Inhibiting concentration per 50% of individuals)

NOEL: No Observed Effect Level

NOEC: No Observed Effect Concentration

LOEC: Lowest Observed Effect Concentration (Maximum concentration at which it is possible to observe an effect)

DNEL: Derived No Effect Level

DMEL: Derived Minimum Effect Level

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report

LD (0/50/100): Lethal Dose 0/50/100 (Lethal dose per 0/50/100% of individuals)

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IMDG code: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic

RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses (Regulation on international transport of dangerous goods by rail)

STEL: Short term exposure limit TLV: Threshold limit value TWA: Time Weighted Average

UE: European Union

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



vPvB: Very persistent very bioaccumulative

N.A.: Not available N.A. Not applicable

VwVwS.: Text of Administrative Regulation on the Classification of Substances hazardous to waters into Water Hazard

Classes (Verwaltungsvorschrift wassergefährdende Stoffe – VwVwS)

PNEC: Predicted No Effect Concentration

Adress 1: Viale Monza 347, Milano 20126, Italy

Adress 2: Balatoni Str. 2/a. B/1., 1112 Budapest, Hungary

Phone: +36 70 420-93-83 E-mail: info@imperity.it Web: www.imperity.it



PNOS: Particulates not Otherwise Specified BOD: Biochemical Oxygen Demand

COD: Chemical Oxygen Demand BCF: BioConcentration Factor

TRGS: Technische Regeln für Gefahrstoffe -Technical Rules for Hazardous Substances, defined by The Federal

Institute for Occupational Safety and Health, Germany LCLo: Lethal Concentration Low (minimum lethal concentration) ThOD: Theoretical Oxygen Demand

The data are provided based on our current knowledge, they do not however represent any guarantee of the product's specifications and do not form any legal contractual relationship:

Note for the user:

The information contained in this schedule is based on the knowledge available to us as at the date of the latest version. The user must verify the suitability and completeness of the information in relation to the specific use of the product. This document must not be interpreted as a guarantee of any specific product property.

As the product is not used under our direct control, the user is obliged to observe, under his/her own responsibility, the laws and provisions on health and safety in force. We will not accept any liability for improper use.