



Product: Nail Drill

Model: JMD-E108, JMD-S108, JMD-C101, JMD-E101, JMD-S101,

JMD-E102, JMD-S102, JMD-E103, JMD-S103, JMD-E207,

Report No.: HTT202109391FR-1

JMD-S207, JMD-E307, JMD-S307, JMD-109P, JMD-109,

JMD-168, JMD-188

Report No.: HTT202109391FR-1

Issued Date: Sep.29,2021

Issued for:

Foshan Jimdoa Electric Appliance Co.,Ltd
N0.7-8, South Are, No.8, Nangang Ave.Pingzhou, Guicheng,
Nanhai District, Foshan, Guangdong

Issued by:

Shenzhen HTT Technology Co., Ltd.

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen

Note: This report shall not be reproduced except in full, without the written approval of Shenzhen HTT Technology Co., Ltd. This document may be altered or revised by Shenzhen HTT Technology Co., Ltd. personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.




TABLE OF CONTENTS

Report No.: HTT202109391FR-1

1 TEST RESULT CERTIFICATION	3
2 EUT DESCRIPTION	4
3 TEST METHODOLOGY	5
3.1. DECISION OF FINAL TEST MODE	5
3.2. EUT SYSTEM OPERATION	
4 SETUP OF EQUIPMENT UNDER TEST	_
4.1. DESCRIPTION OF SUPPORT UNITS	6
5 FACILITIES AND ACCREDITATIONS	7
5.1. FACILITIES	
5.2. ACCREDITATIONS	
5.3. MEASUREMENT UNCERTAINTY	
6 CONDUCTED EMISSION MEASUREMENT	_
6.1. LIMITS OF CONDUCTED EMISSION MEASUREMENT	_
6.2. TEST INSTRUMENTS	
6.3. TEST PROCEDURES	
6.4. TEST SETUP	
6.5. TEST RESULTS	
7 RADIATED EMISSION MEASUREMENT	
7.1. LIMITS OF RADIATED EMISSION MEASUREMENT	
7.2. TEST INSTRUMENTS	
7.3. TEST PROCEDURES	
7.4. TEST SETUP	
7.5. TEST RESULTS	
8 PHOTOGRAPHS OF EUT	19

Page 2 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com

Shenzhen HTT Technology Co., Ltd.

TEST RESULT CERTIFICATION

Product: Nail Drill

Model: JMD-E108

Applicant: Foshan Jimdoa Electric Appliance Co.,Ltd

N0.7-8, South Are, No.8, Nangang Ave.Pingzhou, Guicheng, Nanhai District,

Report No.: HTT202109391FR-1

Foshan, Guangdong

Factory: Foshan Jimdoa Electric Appliance Co., Ltd

N0.7-8, South Are, No.8, Nangang Ave.Pingzhou, Guicheng, Nanhai District,

Foshan, Guangdong

Trade Mark: **JIMDOA**

> Tested: Sep.24,2021~Sep.29,2021

EMISSION						
Standard Item Result Remarks						
FCC CFR Title 47 Part 15	Conducted (Main Port)	Pass	Meet Class B limit			
Subpart B:2017	Radiated	Pass	Meet Class B limit			

1. The test result judgment is decided by the limit of measurement standard Note:

The information of measurement uncertainty is available upon the customer's request.

Deviation from Applicable Standard

None

The above equipment has been tested by Shenzhen HTT Technology Co., Ltd. and found compliance with the requirements set forth in the technical standards mentioned above. The results of testing in this report apply only to the product/system, which was tested. Other similar equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

Date: Sep.29,2021

Date: Sep.29,2021

Tested By: Ervin Xu

Check By: Bruce 2hu

Approved By: Kein Young Date: Sep.29,2021

Page 3 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



Product	Nail Drill
Model	JMD-E108
Trade Mark	JIMDOA
Applicant	Foshan Jimdoa Electric Appliance Co.,Ltd
EUT Type	☑ Engineering Sample. ☐ Product Sample,☐ Mass Product Sample.
Serial Number	N/A
Power Rating	DC 18V,2A,36W, Battery:2600mAh
Data Line	N/A

I/O PORT

I/O PORT TYPES	Q'TY	TESTED WITH
N/A	N/A	N/A

Model list and Models difference

No.	Model Number	Tested With				
1	JMD-E108					
other models	JMD-S108, JMD-C101, JMD-E101, JMD-S101, JMD-E102, JMD-S102, JMD-E103, JMD-S103, JMD-E207, JMD-S207, JMD-E307, JMD-S307, JMD-109P, JMD-109, JMD-168, JMD-188					

NOTE: JMD-E108 is tested model, other models are derivative models, The models are identical in circuit, only different on the model names, size, So the test data of JMD-E108 can represent the remaining models.

Page 4 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



3 TEST WETHODOLOGT

3.1. DECISION OF FINAL TEST MODE

The EUT was tested together with the thereinafter additional components, and a configuration, which produced the worst emission levels, was selected and recorded in this report.

The following test mode(s) were scanned during the preliminary test:

Pre-Test Mode							
Emission	Conducted Emission	Mode: Working					
	Radiated Emission	Mode: Working					

After the preliminary scan, the following test mode was found to produce the highest emission level.

The Worst Test Mode						
Emission	Conducted Emission	Mode: Working				
	Radiated Emission	Mode: Working				

Then, the EUT configuration and cable configuration of the above highest emission mode was chosen for all final test items.

3.2. EUT SYSTEM OPERATION

- 1. Set up EUT with the relative support equipments.
- 2. Make sure the EUT worked normally during the test.

Page 5 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



4 SETUP OF EQUIPMENT UNDER TEST

4.1. DESCRIPTION OF SUPPORT UNITS


The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

No	Equipment	Model No.	Serial No.	FCC ID	Trade Name	Data Cable	Power Cord
	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Note:

- 1) All the equipment/cables were placed in the worst-case configuration to maximize the emission during the test.
- Grounding was established in accordance with the manufacturer's requirements and conditions for the intended use.

Page 6 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



5 FACILITIES AND ACCREDITATIONS

Report No.: HTT202109391FR-1

5.1. FACILITIES

All measurement facilities used to collect the measurement data are located at HTT

The sites are constructed in conformance with the requirements of ANSI C63.4 and CISPR Publication 22. All receiving equipment conforms to CISPR Publication 16-1, "Radio Interference Measuring Apparatus and Measurement Methods."

5.2. ACCREDITATIONS

Our laboratories are accredited and approved by the following approval agencies according to ISO/IEC 17025.

USA FCC

TIMCO

Japan VCCI

Canada INDUSTRY CANADA

Germany TUV

EMCC


5.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

Measurement		Frequency	Uncertainty
Conducted emissions	150kHz~30MHz +/- 3.59d		+/- 3.59dB
	Horizontal	30MHz ~ 200MHz	+/- 4.77dB
Dadiated emissions	ПОПДОПІАІ	200MHz ~1000MHz	+/- 4.93dB
Radiated emissions	\	30MHz ~ 200MHz	+/- 5.04dB
	Vertical	200MHz ~1000MHz	+/- 4.93dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Page 7 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



Shenzhen HTT Technology Co., Ltd. Report No.: HTT202109391FR-1 6 CONDUCTED EMISSION MEASUREMENT

6.1. LIMITS OF CONDUCTED EMISSION MEASUREMENT

EDECUENCY (MU-)	Class A	A (dBuV)	Class B (dBuV)		
FREQUENCY (MHz)	Quasi-peak	Average	Quasi-peak	Average	
0.15 - 0.5	79	66	66 - 56	56 - 46	
0.50 - 5.0	73	60	56	46	
5.0 - 30.0	73	60	60	50	

NOTE:

- (1) The lower limit shall apply at the transition frequencies.
- (2) The limit decreases in line with the logarithm of the frequency in the range of 0.15 to 0.50 MHz.
- (3) All emanations from EUT or system shall not exceed the level of field strengths specified above.

6.2. TEST INSTRUMENTS

C	Conducted Emission Shielding Room Test Site 843									
Name of Equipment	Name of Equipment Manufacturer Model Serial Number Calibration date									
EMI Test Receiver	ROHDE&SCHWARZ	ESCI	100005	06/09/2021						
LISN	AFJ	LS16	16010222119	06/09/2021						
LISN	Meestec	AN3016	04/10040	06/09/2021						

NOTE: 1. The calibration interval of the above test instruments is 12 months and the calibrations are traceable to International system of unit (SI).

2. N.C.R = No Calibration Request.

Page 8 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



6.3. TEST PROCEDURES

Procedure of Preliminary Test

The EUT and Support equipment, if needed, was set up as per the test configuration to simulate typical usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.4 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor standing equipment, it is placed on the ground plane, which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.

Report No.: HTT202109391FR-1

All I/O cables were positioned to simulate typical actual usage as per ANSI C63.4.

The EUT test program was started. Emissions were measured on each current carrying line of the EUT using an EMI Test Receiver connected to the LISN powering the EUT.

The Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.

During the above scans, the emissions were maximized by cable manipulation.

The test mode(s) described in Item 3.1 were scanned during the preliminary test.

After the preliminary scan, we found the test mode described in Item 3.1 producing the highest emission level.

The EUT configuration and worse cable configuration of the above highest emission levels were recorded for reference of the final test.

Procedure of Final Test


EUT and support equipment were set up on the test bench as per the configuration with highest emission level in the preliminary test.

A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit.

The test data of the worst-case condition(s) was recorded.

Page 9 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com






For the actual test configuration, please refer to the related item – Photographs of the Test Configuration.

6.5. TEST RESULTS

Pass

Page 10 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com







Site LAB Phase: N Temperature: 26
Limit: FCC Part15B (QP) Power: Humidity: 60 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment	
1		0.1578	45.28	10.08	55.36	65.58	-10.22	peak		
2	*	0.2164	44.43	10.10	54.53	62.96	-8.43	peak		
3		0.5836	35.55	10.29	45.84	56.00	-10.16	peak		
4		1.8453	35.05	10.52	45.57	56.00	-10.43	peak		
5		7.2891	31.55	10.64	42.19	60.00	-17.81	peak		
6		27.3789	31.92	11.40	43.32	60.00	-16.68	peak		

Page 11 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com








Site LAB Phase: L1 Temperature: 2
Limit: FCC Part15B (QP) Power: Humidity: 60 %

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment	
1	*	0.1539	43.62	10.07	53.69	65.79	-12.10	peak		
2		0.4313	30.39	10.21	40.60	57.23	-16.63	peak		
3		2.7984	32.45	10.54	42.99	56.00	-13.01	peak		
4		6.4531	32.07	10.62	42.69	60.00	-17.31	peak		
5		13.1094	32.97	10.82	43.79	60.00	-16.21	peak		
6		27.4180	33.45	11.40	44.85	60.00	-15.15	peak		

Page 12 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



RADIATED EMISSION MEASUREMENT

7.1. LIMITS OF RADIATED EMISSION MEASUREMENT

Maximum permissible level of Radiated Emission measured at 3 meter

FREQUENCY (MHz)	dBuV/m (At 3m)
	Class B
30~88	40.00
88~216	43.50
216~960	46.00
960~1000	54.00

Report No.: HTT202109391FR-1

NOTE: (1) The lower limit shall apply at the transition frequencies.

(2) Emission level (dBuV/m) = 20 log Emission level (uV/m).

7.2. TEST INSTRUMENTS

	Radiated Emis	sion Test Site	966		
Name of Equipment	Manufacturer	Model	Serial Number	Calibration date	
EMI Test Receiver	ROHDE&SCHWARZ	ESCI	100005	06/09/2021	
Spectrum Analyzer	R&S	FSU	100114	06/09/2021	
Pre Amplifier	H.P.	HP8447E	2945A02715	06/09/2021	
Bilog Antenna	SUNOL Sciences	JB3	A021907	06/09/2021	
Cable	TIME MICROWAVE	LMR-400	N-TYPE04	06/09/2021	
System-Controller	ccs	N/A	N/A	N.C.R	
Turn Table	ccs	N/A	N/A	N.C.R	
Antenna Tower	ccs	N/A	N/A	N.C.R	

NOTE: 1. The calibration interval of the above test instruments is 12 months and the calibrations are traceable to International system of unit (SI).

2. N.C.R = No Calibration Request.

Page 13 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



7.3. TEST PROCEDURES

Procedure of Preliminary Test

The equipment was set up as per the test configuration to simulate typical usage per the user's manual. When the EUT is a tabletop system, a wooden turntable with a height of 0.8 meters is used which is placed on the ground plane. When the EUT is a floor standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.

Report No.: HTT202109391FR-1

Support equipment, if needed, was placed as per ANSI C63.4.

All I/O cables were positioned to simulate typical usage as per ANSI C63.4.

Mains cables, telephone lines or other connections to auxiliary equipment located outside the test are shall drape to the floor, be fitted with ferrite clamps or ferrite tubes placed on the floor at the point where the cable reaches the floor and then routed to the place where they leave the turntable. No extension cords shall be used to mains receptacle.

The antenna was placed at 3 meter away from the EUT as stated in ANSI C63.4. The antenna connected to the Spectrum Analyzer via a cable and at times a pre-amplifier would be used.

The Analyzer / Receiver quickly scanned from 30MHz to 1000MHz. The EUT test program was started. Emissions were scanned and measured rotating the EUT to 360 degrees and positioning the antenna 1 to 4 meters above the ground plane, in both the vertical and the horizontal polarization, to maximize the emission reading level.

The test mode(s) described in Item 3.1 were scanned during the preliminary test:

After the preliminary scan, we found the test mode described in Item 3.1 producing the highest emission level.

The EUT and worse cable configuration, antenna position, polarization and turntable position of the above highest emission level were recorded for the final test.

When measuring emissions above 1GHz, the frequencies of maximum emission shall be determined by manually positioning the antenna close to the EUT and by moving the antenna over all sides of the EUT while observing a spectral display. It will be advantageous to have prior knowledge of the frequencies of emissions above 1GHz.If the EUT is a device with dimensions approximately equal to that of the measurement antenna beam width, the measurement antenna shall be aligned with the EUT.

Page 14 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



FUT and support aguinment were set up on the

EUT and support equipment were set up on the turntable as per the configuration with highest emission level in the preliminary test.

The Analyzer / Receiver scanned from 30MHz to 1000MHz. Emissions were scanned and measured rotating the EUT to 360 degrees, varying cable placement and positioning the antenna 1 to 4 meters above the ground plane, in both the vertical and the horizontal polarization, to maximize the emission reading level.

Recorded at least the six highest emissions. Emission frequency, amplitude, antenna position, polarization and turntable position were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit and only Q.P. reading is presented.

For the measurement above 1GHz, use the cable, EUT arrangement, and mode of operation determined in the exploratory testing to produce the emission that has the highest amplitude relative to the limit.

Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the antenna in the "cone of radiation" from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.

The antenna may have to be higher or lower than the EUT, depending on the EUT's size and mounting height, but the antenna should be restricted to a range of height of from 1m to 4m above the ground or reference ground plane.

If the transmission line for the measurement antenna restricts its range of height and polarization, the steps needed to ensure the correct measurement of the maximum emissions, shall be described in detail in the report of the measurements.

using the procedures above to measure with peak detector function, if the result comply with the average limit specified by the appropriate regulation, record the EUT arrangement, mode of operation, and cable positions used for final radiated emission measurement, this can be done with either diagrams or photographs.


Set the detector function of the measuring instrument to average mode, using the procedures above and remeasure only those emissions that complied with the peak limits but exceeded the average limits.

Recorded at least the six highest emissions.

Page 15 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



Shenzhen HTT Technology Co., Ltd. Report No.: HTT202109391FR-1 7.4. TEST SETUP



For the actual test configuration, please refer to the related item – Photographs of the Test Configuration.

7.5. TEST RESULTS

Test Mode	IMARKING	Environmental Conditions	26°C, 55% RH
6dB Bandwidth	120 KHz	Antenna Pole	Vertical / Horizontal
Antenna Distance	3m	Detector Function	Peak / Quasi-peak
Test Result	Pass		

Freq. = Emission frequency in MHz

Reading level (dBuV) = Receiver reading


Corr. Factor (dB) = Antenna factor + Cable loss


Measurement (dBuV) = Reading level (dBuV) + Corr. Factor (dB)

Limit (dBuV) = Limit stated in standard

Margin (dB) = Measurement (dBuV) – Limits (dBuV)

Page 16 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com





Site LAB	Polarization: Horizontal	Temperature:			
Limit: FCC Part15 B	Power:	Humidity: %			

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dB/m	dB	Detector	cm	degree	Comment
1		33.5624	34.74	-18.38	16.36	40.00	-23.64	peak			
2		37.4165	41.13	-18.14	22.99	40.00	-17.01	peak			
3	*	44.7433	41.45	-17.89	23.56	40.00	-16.44	peak			
4		67.4382	39.29	-19.63	19.66	40.00	-20.34	peak			
5		84.9995	37.63	-21.06	16.57	40.00	-23.43	peak			
6		204.9551	43.55	-19.99	23.56	43.50	-19.94	peak			

Page 17 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com



Radiated Emission Measurement

Report No.: HTT202109391FR-1




Site LAB Polarization: Vertical Temperature:
Limit: FCC Part15 B Power: Humidity: 9

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		Antenna Height	Table Degree	<u> </u>
		MHz	dBuV	dB	dBuV/m	dB/m	dB	Detector	cm	degree	Comment
1		37.6798	44.81	-18.12	26.69	40.00	-13.31	peak			
2	*	48.5016	47.74	-18.41	29.33	40.00	-10.67	peak			
3		56.5929	42.37	-18.66	23.71	40.00	-16.29	peak			
4		67.9129	40.94	-19.68	21.26	40.00	-18.74	peak			
5		91.4949	42.65	-21.19	21.46	43.50	-22.04	peak			
6		204.9551	43.07	-19.99	23.08	43.50	-20.42	peak			


Page 18 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com








Page 19 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com








Page 20 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com









Page 21 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com










Page 22 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com







Page 23 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com





Page 24 of 24 Hotline: 400-6655-351 Tel: 0755-23595200 Fax: 0755-23595201 http://www.httprc.com