

RoHS TEST REPORT

Applicant	Guangzhou SNRQI Technology Co., Ltd.
Address	Room 202, Building A, No. 33, 3rd Road, Wanggang Industrial Zone, Jiahe Street, Baiyun District, Guangzhou
Manufacture	Foshan Mikesi Technology Co.,Ltd.
Address	3rd Floor, Gate A, Building F12, Aipuda Industrial Park, No. 33 Koler Avenue, Leping Town, Sanshui District, Foshan City
Sample Name	PND750 Nail Drill Machine
Model	750
Serial Model	/
Trademark	/
Date of Receipt	Mar. 25, 2026
Date of Test	Mar. 26, 2026 to Apr. 02, 2026
Date of Report	Apr. 02, 2026
Test Laboratory	Guangdong KAIXU Testing Technology Co., Ltd.
Test Location	Room 215, Building 2, No. 123, Dongcheng Section, Guanlong Road, Dongcheng Street, Dongguan City, Guangdong Province, China

Test Conclusion:

Test Requested	Conclusion
As specified by client, to determine the Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent chromium(Cr ⁶⁺), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs), Dibutyl phthalate (DBP), Butyl benzyl phthalate(BBP), Bis(2-ethylhexyl) phthalate (DEHP) and Diisobutyl phthalate (DIBP) content in the submitted sample(s) in accordance with EU directive 2011/65/EU and revised directive (EU)2015/863 (RoHS2.0) .	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of KAIXU Test International

Tested by: Cathy

Approved by: Martin

Test Method:

1. With reference to IEC 62321-2:2021, review was performed for the samples disjointed from the submitted articles.
2. With reference to IEC 62321-1:2013, tests were performed for the samples indicated by the photos in this report
 - (1) With reference to IEC 62321-3-1:2013, screening by XRF spectroscopy.
 - (2) Wet chemical test method
 - a. With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES.
 - b. With reference to IEC 62321-5:2013, determination of Lead by ICP-OES.
 - c. With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES.
 - d. With reference to IEC 62321-7-1:2015 & IEC 62321-7-2:2017, determination of Hexavalent chromium by Colorimetric method using UV-Vis.
 - e. With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS.
3. With reference to IEC 62321-8: 2017, determination of phthalates by GC-MS.

Test Result:

Item	Results of XRF ⁽¹⁾ (mg/kg)					Results of Wet Chemical Test ⁽²⁾ (mg/kg)						
	Pb	Cd	Hg	Cr	Br	Cr ⁶⁺	PBBs	PBDEs	DBP	BBP	DEHP	DIBP
Limit	1000	100	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
No.												
1	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
2	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
3	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
4	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
5	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
6	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
7	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
8	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
9	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
10	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
11	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
12	BL	BL	BL	BL	--	--	--	--	--	--	--	--
13	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
14	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
15	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
16	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
17	BL	BL	BL	BL	--	--	--	--	--	--	--	--
18	BL	BL	BL	BL	--	--	--	--	--	--	--	--
19	BL	BL	BL	BL	--	--	--	--	--	--	--	--

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

	Results of XRF ⁽¹⁾ (mg/kg)					Results of Wet Chemical Test ⁽²⁾ (mg/kg)						
Item	Pb	Cd	Hg	Cr	Br	Cr ⁶⁺	PBBs	PBDEs	DBP	BBP	DEHP	DIBP
Limit	1000	100	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000
No.												
20	BL	BL	BL	BL	--	--	--	--	--	--	--	--
21	BL	BL	BL	BL	--	--	--	--	--	--	--	--
22	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
23	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
24	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
25	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
26	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
27	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
28	BL	BL	BL	BL	--	--	--	--	--	--	--	--
29	BL	BL	BL	BL	--	--	--	--	--	--	--	--
30	BL	BL	BL	BL	--	--	--	--	--	--	--	--
31	BL	BL	BL	BL	--	--	--	--	--	--	--	--
32	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
33	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
34	BL	BL	BL	BL	--	--	--	--	--	--	--	--
35	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
36	BL	BL	BL	BL	--	--	--	--	--	--	--	--
37	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
38	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
39	BL	BL	BL	BL	--	--	--	--	--	--	--	--
40	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
41	BL	BL	BL	BL	--	--	--	--	--	--	--	--
42	BL	BL	BL	BL	--	--	--	--	--	--	--	--
43	BL	BL	BL	BL	--	--	--	--	--	--	--	--
44	BL	BL	BL	BL	--	--	--	--	--	--	--	--
45	BL	BL	BL	BL	--	--	--	--	--	--	--	--
46	BL	BL	BL	BL	BL	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
47	BL	BL	BL	BL	--	--	--	--	--	--	--	--
48	BL	BL	BL	BL	--	--	--	--	--	--	--	--

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAI XU Testing Technology Co., Ltd.

Remark:

(1)

Pb=Lead,

Cd=Cadmium,

Hg=Mercury,

Cr=Chromium,

Br=Bromine,

PBBs=Polybrominated biphenyls,

PBDEs=Polybrominated diphenyl ethers.

(2)

(a) It is the result on total Br while test item on restricted substances is PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr⁶⁺.

(b) Results are obtained by XRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013(unit: mg/kg).

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	BL≤50-3σ< X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< X	--	BL≤250-3σ< X

(c) OL=Over Limit, BL=Below Limit, X=inconclusive, LOD=Limit of Detection, NA=not applicable

(d) The XRF screening test for RoHS elements-The reading may be different to the actual content in the sample be of non-uniformity composition

(3)

(a) mg/kg=ppm=0.0001%, N.D.=not detected(<MDL), NEG= Negative

(b) Unit and Method Detection Limit (MDL) in wet chemical test

Test Items	Pb	Hg	Cd	PBBs	PBDEs	DBP	BBP	DEHP	DIBP
Unit	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
MDL	10	10	10	50	50	50	50	50	50

The MDL for single compound of PBBs & PBDEs is 50mg/kg, MDL of Cr⁶⁺ for metal sample is 0.10μg/cm² and MDL of Cr⁶⁺ for polymer & composite sample is 8mg/kg.

(c) Metal sample:

	CrVI concentration	Conclusion
1	> 0.13 μg/cm ²	Positive
2	< 0.10 μg/cm ²	Negative
3	0.10 μg/cm ² ~ 0.13 μg/cm ²	Inconclusive


unavoidable coating variations may influence the determination

Information on storage conditions and production date of the tested sample is unavailable and thus Cr⁶⁺ results represent status of the sample at the time of testing.


Appendix I

Test Process:

1. Test for Cd/Pb Content




2. Test for Hg Content




3. Test for Chromium (VI) Content


Soluble polymers:




Insoluble/unknown polymers and electronics without Sb



Metal material



4. Test for DBP, BBP, DEHP, DIBP, PBBs, PBDEs Content



Sample Description:



Material No.	Description
1	White leather
2	Blue leather
3	Pink leather
4	Black leather
5	Orange leather
6	Purple leather
7	White plastic base
8	White plastic base cover
9	Grey woven tape
10	transparent plastic box
11	White plastic square cover
12	Silver metal replacement head
13	White plastic shell
14	White plastic display frame
15	White rubber strip pad
16	White plastic button
17	Silver metal circular polishing machine shell
18	Silver metal round head
19	Silver metal rod
20	Silver metal battery
21	Silver metal screw
22	White plastic wire cover
23	Blue plastic wire cover
24	Red plastic wire cover
25	Grey plastic wire cover
26	White plastic wire cover
27	Black plastic wire cover
28	USB metal socket
29	TYPE-C metal socket
30	Copper colored metal wire core
31	Silver metal wire core
32	White plastic socket
33	Grey plastic socket

This test report is limited to the above client company and the product model only. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. It may not be duplicated without prior written consent of Guangdong KAIXU Testing Technology Co., Ltd.

Material No.	Description
34	Silver metal pin
35	PCB
36	Silver metal spring
37	Seven-segment display
38	Push switch
39	Silver metal connecting rod
40	White LED light
41	Chip Resistor
42	Resistor
43	Capacitance
44	Diode
45	Transistor
46	IC
47	Silver solder
48	TYPE-C metal socket

Tested sample photos





-----THE END OF REPORT-----