

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

◊ 1.1 Product identifier

◊ Trade name: **Zimtöl naturidentisch**

◊ Article number: P0104041

◊ Registration number -

◊ **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

◊ Application of the substance / the mixture Flavour/Fragrance

◊ 1.3 Details of the supplier of the safety data sheet

◊ Manufacturer/Supplier:

Promed GmbH

Kosmetische Erzeugnisse

Lindenweg 11, 82490 Farchant, Germany

◊ Further information obtainable from:

Frau Simone Wesemeyer

◊ **1.4 Emergency telephone number:** +49 (0) 4771 / 64 61 – 0 / 8:00 – 17:00 Uhr

. SECTION 2: Hazards identification

◊ 2.1 Classification of the substance or mixture

◊ Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

◊ 2.2 Label elements

◊ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

◊ Hazard pictograms



GHS07 GHS09

◊ Signal word Warning

◊ Hazard-determining components of labelling:

Cinnamal

DIPENTENE

Eugenol

3,7-Dimethyl-1,6-octadien-3-ol

trans-3-Phenyl-2-propen1-ol

◊ Hazard statements

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

◊ Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Handelsname:
Zimtöl naturidentisch

Druckdatum: 25.09.2017
Überarbeitet am: 22.09.2017

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

Trade name: Zimtöl naturidentisch

(Contd. of page 1)

- ◇ **2.3 Other hazards**
- ◇ Results of PBT and vPvB assessment
- ◇ PBT: Not applicable.
- ◇ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

◇ 3.2 Chemical characterisation: Mixtures

◇ Description: Mixture of substances listed below with nonhazardous additions.

◇ Dangerous components:

CAS: 104-55-2	Cinnamal	>50-100%
EINECS: 203-213-9	Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317	
CAS: 138-86-3	DIPENTENE	>5-10%
EINECS: 205-341-0	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 97-53-0	Eugenol	>2,5-5%
EINECS: 202-589-1	Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 115-95-7	3,7-Dimethyl-1,6-octadien-3-yl acetate	>2,5-5%
EINECS: 204-116-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 78-70-6	3,7-Dimethyl-1,6-octadien-3-ol	1-2,5%
EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 120-51-4	Benzyl benzoate	1-2,5%
EINECS: 204-402-9	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302	
CAS: 104-54-1	trans-3-Phenyl-2-propen1-ol	1-2,5%
EINECS: 203-212-3	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	

◇ Additional information: For the wording of the listed hazard phrases refer to section 16.

. SECTION 4: First aid measures

◇ 4.1 Description of first aid measures

◇ General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

◇ After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

◇ After skin contact: Immediately wash with water and soap and rinse thoroughly.

◇ After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

◇ After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

◇ 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

◇ 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

◇ 5.1 Extinguishing media

◇ Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.

◇ For safety reasons unsuitable extinguishing agents: Water with full jet

◇ 5.2 Special hazards arising from the substance or mixture No further relevant information available.

◇ 5.3 Advice for firefighters

◇ Protective equipment: No special measures required.

DE
(Contd. on page 3)

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

Trade name: **Zimtöl naturidentisch**

(Contd. of page 2)

. SECTION 6: Accidental release measures

- ◊ **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- ◊ **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- ◊ **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- ◊ **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

. SECTION 7: Handling and storage

- ◊ **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- ◊ Information about fire - and explosion protection: No special measures required.
- ◊ **7.2 Conditions for safe storage, including any incompatibilities**
◊ Storage:
◊ Requirements to be met by storerooms and receptacles: No special requirements.
◊ Information about storage in one common storage facility: Not required.
◊ Further information about storage conditions: Keep container tightly sealed.
◊ Storage class: 10
- ◊ **7.3 Specific end use(s)** No further relevant information available.

. SECTION 8: Exposure controls/personal protection

- ◊ Additional information about design of technical facilities: No further data; see item 7.
- ◊ **8.1 Control parameters**
◊ Ingredients with limit values that require monitoring at the workplace:
104-55-2 Cinnamal
MAK als Dampf und Aerosol;vgl.Abschn.IV
138-86-3 DIPENTENE
MAK vgl.Abschn.IIb
97-53-0 Eugenol
MAK als Dampf und Aerosol;vgl.Abschn.IV
104-54-1 trans-3-Phenyl-2-propen1-ol
MAK als Dampf und Aerosol;vgl.Abschn.IV
◊ Additional information: The lists valid during the making were used as basis.
- ◊ **8.2 Exposure controls**
◊ Personal protective equipment:
◊ General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
◊ Respiratory protection: Not required.
◊ Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

Trade name: Zimtöl naturidentisch

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

◊ **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The multichemical-resistant glove Barrier 02-100 is recommended.

◊ **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

◊ **Eye protection:**

Safety glasses

Tightly sealed goggles

. SECTION 9: Physical and chemical properties

◊ **9.1 Information on basic physical and chemical properties**

◊ **General Information**

◊ **Appearance:**

Form: Fluid

Colour: Yellow

◊ **Odour:** Characteristic

◊ **Odour threshold:** Not determined.

◊ **pH-value:** Not determined.

◊ **Melting point/freezing point:** Undetermined.

◊ **Flash point:** 78°C

◊ **Flammability (solid, gas):** Not applicable.

◊ **Ignition temperature:**

Decomposition temperature: Not determined.

◊ **Auto-ignition temperature:** Not determined.

◊ **Explosive properties:** Not determined.

◊ **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

◊ **Density at 20°C:** 1,021g/cm³

◊ **Relative density** Not determined.

◊ **Vapour density** Not determined.

◊ **Evaporation rate** Not determined.

◊ **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

◊ **Partition coefficient: n-octanol/water:** Not determined.

◊ **VOC (EC)** 14,63 %

◊ **9.2 Other information** No further relevant information available.

. SECTION 10: Stability and reactivity

◊ **10.1 Reactivity** No further relevant information available.

◊ **10.2 Chemical stability**

◊ **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

◊ **10.3 Possibility of hazardous reactions** No dangerous reactions known.

◊ **10.4 Conditions to avoid** No further relevant information available.

◊ **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 5)

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

Trade name: **Zimtöl naturidentisch**

◊ **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. of page 4)

. SECTION 11: Toxicological information

◊ 11.1 Information on toxicological effects

◊ Acute toxicity

Harmful in contact with skin.

◊ LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >50.000 mg/kg (rat)

Dermal LD50 >1.800 mg/kg (rabbit)

◊ Primary irritant effect:

◊ Skin corrosion/irritation

Causes skin irritation.

◊ Serious eye damage/irritation

Causes serious eye irritation.

◊ Respiratory or skin sensitisation

May cause an allergic skin reaction.

◊ CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

◊ Germ cell mutagenicity Based on available data, the classification criteria are not met.

◊ Carcinogenicity Based on available data, the classification criteria are not met.

◊ Reproductive toxicity Based on available data, the classification criteria are not met.

◊ STOT-single exposure Based on available data, the classification criteria are not met.

◊ STOT-repeated exposure Based on available data, the classification criteria are not met.

◊ Aspiration hazard Based on available data, the classification criteria are not met.

. SECTION 12: Ecological information

◊ 12.1 Toxicity

◊ Aquatic toxicity: No further relevant information available.

◊ 12.2 Persistence and degradability No further relevant information available.

◊ 12.3 Bioaccumulative potential No further relevant information available.

◊ 12.4 Mobility in soil No further relevant information available.

◊ Ecotoxicological effects:

◊ Remark: Toxic for fish

◊ Additional ecological information:

◊ General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

◊ 12.5 Results of PBT and vPvB assessment

◊ PBT: Not applicable.

◊ vPvB: Not applicable.

◊ 12.6 Other adverse effects No further relevant information available.

. SECTION 13: Disposal considerations

◊ 13.1 Waste treatment methods

◊ Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Handelsname:
Zimtöl naturidentisch

Druckdatum: 25.09.2017
Überarbeitet am: 22.09.2017

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

Trade name: **Zimtöl naturidentisch**

(Contd. of page 5)

- ◊ Uncleaned packaging:
- ◊ Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

- ◊ **14.1 UN-Number**
◊ ADR, IMDG, IATA UN3082
- ◊ **14.2 UN proper shipping name**
◊ ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE)
- ◊ IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, Benzyl benzoate), MARINE POLLUTANT
- ◊ IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (containing DIPENTENE)
- ◊ **14.3 Transport hazard class(es)**
◊ ADR
◊ Class 9 (M6) Miscellaneous dangerous substances and articles.
◊ Label 9
- ◊ IMDG, IATA
◊ Class 9 Miscellaneous dangerous substances and articles.
◊ Label 9
- ◊ **14.4 Packing group**
◊ ADR, IMDG, IATA III
- ◊ **14.5 Environmental hazards:**
◊ Marine pollutant: Yes
Symbol (fish and tree)
Symbol (fish and tree)
Symbol (fish and tree)
- ◊ Special marking (ADR):
◊ Special marking (IATA):
◊ **14.6 Special precautions for user** Warning: Miscellaneous dangerous substances and articles.
◊ Danger code (Kemler): 90
◊ EMS Number: F-A,S-F
◊ Stowage Category A
- ◊ **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- ◊ Transport/Additional information:
◊ ADR
◊ Limited quantities (LQ) 5L
◊ Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- ◊ Transport category 3
- ◊ IMDG
◊ Limited quantities (LQ) 5L
◊ Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- ◊ UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIPENTENE), 9, III

DE

(Contd. on page 7)

Trade name: **Zimtöl naturidentisch**

(Contd. of page 6)

. SECTION 15: Regulatory information

◇ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- ◇ Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- ◇ Hazard pictograms



GHS07 GHS09

- ◇ Signal word *Warning*

- ◇ Hazard-determining components of labelling:

Cinnamal

DIPENTENE

Eugenol

3,7-Dimethyl-1,6-octadien-3-ol

trans-3-Phenyl-2-propen1-ol

- ◇ Hazard statements

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

- ◇ Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- ◇ Directive 2012/18/EU

- ◇ Named dangerous substances - ANNEX I None of the ingredients is listed.

- ◇ Seveso category E2 Hazardous to the Aquatic Environment

- ◇ Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

- ◇ Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

- ◇ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

- ◇ National regulations:

- ◇ Classification according to VbF: A III

- ◇ Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

- ◇ 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- ◇ Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 8)

Printing date 22.09.2017

Version 104

Revision: 22.09.2017

Trade name: Zimtöl naturidentisch

(Contd. of page 7)

H411 Toxic to aquatic life with long lasting effects.

◇ Department issuing SDS: Regulatory Affairs

◇ Contact: Dr. Maja Zippel

◇ Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

◇ * Data compared to the previous version altered.